

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Monday, May 14, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L42	L41 not l37	45
<input type="checkbox"/>	L41	L38 and (message\$1 near3 queue\$1)	47
<input type="checkbox"/>	L40	L39 not l29	61
<input type="checkbox"/>	L39	L38 and (message\$1 with queue\$1)	61
<input type="checkbox"/>	L38	l36 not l29	152
<input type="checkbox"/>	L37	L36 and 707/3.ccls.	14
<input type="checkbox"/>	L36	L35 and search\$ with (server\$1 or datastore\$1 or database\$1 or resource\$1)	164
<input type="checkbox"/>	L35	L34 and (heterog\$ or differ\$) with (server\$1 or datastore\$1 or database\$1 or resource\$1)	274
<input type="checkbox"/>	L34	L33 and (multimedia or video or audio)	404
<input type="checkbox"/>	L33	L32 and message\$1 with (search\$ or result\$1)	860
<input type="checkbox"/>	L32	L31 and (server\$1 or datastore\$1 or database\$1)	3532
<input type="checkbox"/>	L31	L23 and queu\$	3805
<input type="checkbox"/>	L30	L29 not l26	19
<input type="checkbox"/>	L29	L28 and queu\$	48
<input type="checkbox"/>	L28	l23 and ((server\$1 or datastore\$1 or database\$1) same federat\$)	171
<input type="checkbox"/>	L27	l22 and ((server\$1 or datastore\$1 or database\$1) same federat\$)	0
<input type="checkbox"/>	L26	L25 not l22	29
<input type="checkbox"/>	L25	L24 and (messeage\$ or request\$) with queue\$1	29
<input type="checkbox"/>	L24	L23 and ((server\$1 or datastore\$1 or database\$1) with federat\$)	145
<input type="checkbox"/>	L23	719/314.ccls. or 709/201.ccls. or 709/203.ccls. or 707/10.ccls. or 709/217.ccls.	19084
<input type="checkbox"/>	L22	L21 not l20	7
<input type="checkbox"/>	L21	(client\$1 and server\$1 and queu\$ and message\$1 and (datastore\$1 or database\$1) and result\$1 and search\$).clm.	7
<input type="checkbox"/>	L20	(client\$1 and server\$1 and queu\$ and message\$1 and (datastore\$1 or database\$1) and view\$1 and search\$).clm.	1
<input type="checkbox"/>	L19	(client\$1 and server\$1 and queu\$ and message\$1 and (datastore\$1 or database\$1) and (differ\$ or heterog\$) and view\$1 and search\$).clm.	1
<input type="checkbox"/>	L18	(client\$1 and server\$1 and queu\$ and message\$1 and (datastore\$1 or database\$1) and (differ\$ or heterog\$)).clm.	77
<input type="checkbox"/>	L17	(client\$1 and server\$1 and queu\$ and message\$1 and datastore\$1 or database\$1 and (differ\$ or heterog\$)).clm.	20514
<input type="checkbox"/>	L16	(client\$1 and server\$1 and queu\$ and message\$1 and federat\$).clm.	0
<input type="checkbox"/>	L15	l14 and (server\$1 with federat\$)	5
<input type="checkbox"/>	L14	L13 and (heterog\$ or differ\$) near4 server\$1	5
<input type="checkbox"/>	L13	l12 and (client adj application\$1)	8
<input type="checkbox"/>	L12	L11 and (item\$1 or object\$1) near3 id\$	9
<input type="checkbox"/>	L11	L10 and client\$1	43
<input type="checkbox"/>	L10	L9 and server\$1	45

<input type="checkbox"/>	L9	L8 and queu\$	45
<input type="checkbox"/>	L8	L7 and message\$1 with federat\$	92
<input type="checkbox"/>	L7	719/\$.ccls. or 718/\$.ccls. or 709/\$.ccls. or 707/\$.ccls. or 705/\$.ccls.	146029
<input type="checkbox"/>	L6	L5 and federat\$	2
<input type="checkbox"/>	L5	L4 and (heterog\$ or differ\$) near3 server\$1	86
<input type="checkbox"/>	L4	L3 and server\$1	365
<input type="checkbox"/>	L3	L2 and client\$1	392
<input type="checkbox"/>	L2	L1 and (message\$1 with queu\$)	637
<input type="checkbox"/>	L1	(719/310,311,313,314,315,318)![CCLS]	3563

END OF SEARCH HISTORY

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 122,000 for **client and server and federated and queue and message**. (0.33 seconds)**DB2 Database for Linux, UNIX, and Windows**

Adding data sources to a **federated server** using the DB2 Control Center ...
 WebSphere MQ **message queues** for the WebSphere Business Integration wrapper
 and ...
[publib.boulder.ibm.com/infocenter/db2luw/v9/](#) - [Similar pages](#)

DB2 Universal Database

Adding data sources to a **federated server** by using the DB2 Control Center ...
Message queues used by MQListener applications ...
[publib.boulder.ibm.com/infocenter/db2help/index.jsp](#) - 977k - May 12, 2007 -
[Cached](#) - [Similar pages](#)
[\[More results from publib.boulder.ibm.com \]](#)

[PPT] Federated DAFS: Scalable Cluster-based Direct Access File Servers

File Format: Microsoft Powerpoint - [View as HTML](#)
QUEUE. Virtual Interface Architecture. SAN-2 Disco Lab. 5. Application. Buffers.
DAFS Client. VIPL. User. Kernel. NIC. VI NIC. Driver. **DAFS Server** ...
[discolab.rutgers.edu/fs/san2.ppt](#) - [Similar pages](#)

Chapter 5 Java Enterprise System 2005Q1 Compatibility Information

The sites will need to upgrade both the **client and server** at the same time. ... A
Message Queue 3 2005Q1 Java client can connect to a **Message Queue 3.0.x**
 or ...
[docs.sun.com/source/819-0062/compatibility.html](#) - 44k - [Cached](#) - [Similar pages](#)

[PDF] Overview Product Portfolio CAPS and IdM

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Federated provisioning. Identity Grid. Transaction Services ... **Message. Server.**
JMS Client. Message. Server. Message. Server. Queue. Queue. Queue ...
[www.paffolter.ch/business/mywork/8_sun/presentations/SUN-CAPS-Overview-PeterAffolter-200701.pdf](#) - [Similar pages](#)

Integrating Islands with Landmasses

Revisiting WMQ Basics - **Client & Server** Connection Channels ... Triggering
 happens when a **message** appears on an Initiation **queue**. ...
[dan8sh.blogspot.com/atom.xml](#) - 55k - [Cached](#) - [Similar pages](#)

[PDF] PowerPoint Presentation

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Client. Business. Logic. App. **Server**. - **Federated**, Intra-Enterprise, Scalable ...
 •Examples: **message. queues**, temporary. cache or files. Configuration ...
[unatekconference.com/images/pdfs/presentations/Yee.pdf](#) - [Similar pages](#)

Apache ActiveMQ -- Topologies

The following diagram shows a **federated** network of brokers with a few different ...
 This is logically equivalent to **Client-Server** but some (or all) clients ...
[activemq.apache.org/topologies.html](#) - 41k - [Cached](#) - [Similar pages](#)

Live Communications Server 2005 Glossary - Live Communications ...

Archiving back-end **queue**: A MSMQ (Microsoft **Message** Queuing) infrastructure ...
 In TLS, a **server** proves its identity to a **client** by sending it a certificate ...
[office.microsoft.com/en-us/assistance/HP011434851033.aspx](#) - 67k -
[Cached](#) - [Similar pages](#)

[PS] Federated DAFS: Scalable Cluster-Based Direct Access File Servers

File Format: Adobe PostScript - [View as Text](#)
Federated DAFS uses a low overhead protocol. like DAFS for **client-server**
 communication and a ... exclusive access to the completion **queue** and waits ...
[ftp://ftp.cs.rutgers.edu/pub/technical-reports/dcs-tr-516.ps.Z](#) - [Similar pages](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 11 - 20 of about 122,000 for **client and server and federated and queue and message**. (0.31 seconds)**[IBM Tivoli Access Manager for Business Integration and IBM ...](#)**This means the **message** sent to the **queue** manager will either be in the clear, or use a static certificate defined for the MQIPT **client**. ...www.ibm.com/developerworks/tivoli/library/t-tambimq/index.html - 52k -[Cached](#) - [Similar pages](#)**[Quick start for Q replication to Oracle and Sybase](#)**This new feature combines Q replication with the **federated server** ... Restart **queue**, Holds one **message** that tells Q Capture where to start reading in the ...www.ibm.com/developerworks/db2/library/techarticle/dm-0505burner/index.html - 99k[- Cached](#) - [Similar pages](#)[\[More results from www.ibm.com \]](#)**[Feature Summary](#)**Transparent JMS **client** reconnect and failover (HA) with automatic recovery of all ...**Federated** router network. Address any **queue**/topic network wide. ...www.swiftmq.com/products/features/index.html - 37k - [Cached](#) - [Similar pages](#)**[BRIDGE Design Notes | Server federation](#)**The initial implementation of a **federated CORK server** will focus on ... The **server** will assign a **client** id to the proxy **client** and give it a **queue** for ...java.cs.vt.edu/public/projects/bridge/design/Server+federation - 11k -[Cached](#) - [Similar pages](#)**[ONJava.com -- JMS and CORBA Notification Interworking](#)**JMS supports a point-to-point (or **queue**) model and a publish/subscribe model ... In the pull model, a JMS **client** invokes a method on the **message** consumer in ...www.onjava.com/pub/a/onjava/2001/12/12/jms_not.html - 31k -[Cached](#) - [Similar pages](#)**[\[PDF\] IEEE Distributed Systems Online](#)**

File Format: PDF/Adobe Acrobat

This article introduces the notion of **federated** control systems through a study involving ... and Microsoft's **Message Queue Server**. 10. represent commercial ...csdl.computer.org/comp/mags/ds/2003/06/o6005.pdf - [Similar pages](#)**[This file contains a list of changes to the ANL/Internet2 Network...](#)**Handles cases where remote **client** is NDT **server**, and when paths diverge early. ...debug **message** when printing **queue** details removed **queue** management logic ...e2epi.internet2.edu/ndt/download/ChangeLog.txt - 32k - [Cached](#) - [Similar pages](#)**[MySQL AB :: MySQL Forums :: Federated Storage Engine :: ERROR 1430 ...](#)**What appears to be happening is that the **client server** (the **server** which has the CREATE TABLE ... ENGINE=FEDERATED on it) doesn't try to re-establish the ...forums.mysql.com/read.php?105,54956,54956 - 9k - [Cached](#) - [Similar pages](#)**[ACM Queue - The Network's NEW Role: Can an application-oriented ...](#)**The AON would monitor the **message** traffic and when it "sees" the messages ...One logic would be to monitor the response times (**client-to-server** and back), ...www.acmqueue.org/modules.php?name=Content&pa=showpage&pid=391 - 58k -[Cached](#) - [Similar pages](#)**[J2EE 1.3 Glossary](#)**HTTP messages consist of requests from **client** to **server** and responses from ...Each **message** is addressed to a specific **queue**; clients extract messages from ...java.sun.com/javaee/reference/glossary/1_3.jsp - 96k - [Cached](#) - [Similar pages](#)Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#)[Next](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 21 - 30 of about 122,000 for client and server and federated and queue and message. (0.34 seconds)[Glossary](#)

Typical distributed applications are two tier (**client and server**), three tier (**client and ...** A messaging system built around the concept of **message queues**. ...
java.sun.com/j2ee/tutorial/1_3-fcs/doc/Glossary.html - 114k - [Cached](#) - [Similar pages](#)

[\[PPT\] Building Computational Communities from Federated Resources](#)

File Format: Microsoft Powerpoint - [View as HTML](#)
Exploits clustering and Java **Message Queue**; Cross-deployable on other J2EE compliant servers. Apache Axis on Tomcat **Server**. Porting to Apache Axis Web ...
www.lesci.imperial.ac.uk/iceni/pdf/ahm2004_gridsam.ppt - [Similar pages](#)

[\[PDF\] Strong Partitioning Protocol for a Multiprocessor VME System](#)

File Format: PDF/Adobe Acrobat
message queues. A **message queue** is an abstraction of a ... protocol, we instrumented the **client-server** application. discussed above. ...
ieeexplore.ieee.org/iel4/5640/15114/00689468.pdf?arnumber=689468 - [Similar pages](#)

[The rise of messaging middleware; the decline of DOLTP](#)

in order to transfer reliably the original **message** to **Queue B**. At this point ... does **message** queuing open up clients (say System A) to connect to **server(s)** ...
www.middlewarespectra.com/abstracts/8_94_01.htm - 16k - [Cached](#) - [Similar pages](#)

[jGuru: SwiftMQ FAQ Home Page](#)

All Topic Manager Swiftlets in a router network are working **federated**. ... Why do I get this **message** when I try to connect to a **queue** ? javax.jms. ...
www.jguru.com/faq/SwiftMQ - 39k - [Cached](#) - [Similar pages](#)

[\[PPT\] FSG Developers Conference - 2006](#)

File Format: Microsoft Powerpoint - [View as HTML](#)
Business Tier. **Client**. Serviced. Components. Database. **Message**. **Queue** ... A connection point represents a **client/server** relationship between a consumer and ...
www.financialdevelopers.com/assets/fsdevcon06/Day%202.4a%20Interop%20(Rubino).ppt - [Similar pages](#)

[Jive Forums RSS Feed](#)

Re: How do I remove a specific **message** from a JMS **queue**? ... messages (**client-side** caching). The JMS **server** has to initially load the **client's** cache and the ...
forum.java.sun.com/rss/rssmessages.jspa?RssUsername=iitbremen&numItems=60 - 38k - [Cached](#) - [Similar pages](#)

[\[PDF\] 38 ACM QUEUE](#)

File Format: PDF/Adobe Acrobat
the **client** and the **server** sides. On the **client** side, many. requests might be aggregated, syndicated, or **federated**. and sent to one service—rather like ...
portal.acm.org/ft_gateway.cfm?id=1142069&type=pdf - [Similar pages](#)

[\[PPT\] Distributed Computing Paradigms](#)

File Format: Microsoft Powerpoint - [View as HTML](#)
Via the middleware, a sender deposits a **message** in the **message queue** of the receiving ... **Message** passing; **Client-server**; **Message** system: Point-to-point; ...
www.cs.uakron.edu/~dang/CS655/Spring07/paradigms.ppt - [Similar pages](#)

[\[PS\] Myriad: Design and Implementation of a Federated Database Prototype](#)

File Format: Adobe PostScript - [View as Text](#)
However, **client-server** model incurs extra messages and requires ... A **message queue** is associated with each type of processes. A process retrieves a ...
ftp.cs.umn.edu/dept/users/myriad/myriad.ps.Z - [Similar pages](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 120,000 for client and server and federated and queue and search message. (0.13 seconds)DB2 Universal Database

Confirming and registering the Microsoft SQL **Server Client** Version 2000 driver (Windows) ... Adding Extended **Search** data sources to a **federated** system ...
publib.boulder.ibm.com/infocenter/db2help/index.jsp - 977k - May 12, 2007 -
[Cached](#) - [Similar pages](#)

DB2 Database for Linux, UNIX, and Windows

Adding data sources to a **federated server** using the DB2 Control Center ...
WebSphere MQ **message queues** for the WebSphere Business Integration wrapper
and ...
publib.boulder.ibm.com/infocenter/db2luw/v9/ - [Similar pages](#)
[[More results from publib.boulder.ibm.com](#)]

Design and implementation of a client/server framework for ...

Gets a list **search** templates' names from a **federated server**. ... Gets indexing
function status, document and document **message queue** count for **search** index. ...
www.patentstorm.us/patents/6370541-description.html - 384k -
[Cached](#) - [Similar pages](#)

ACM Queue - The Network's NEW Role: Can an application-oriented ...

The AON would monitor the **message** traffic and when it "sees" the **messages** ...
One logic would be to monitor the response times (**client-to-server** and back), ...
www.acmqueue.org/modules.php?name=Content&pa=showpage&pid=391 - 58k -
[Cached](#) - [Similar pages](#)

Apache ActiveMQ -- Topologies

The following diagram shows a **federated** network of brokers with a few different ...
This is logically equivalent to **Client-Server** but some (or all) clients ...
activemq.apache.org/topologies.html - 41k - [Cached](#) - [Similar pages](#)

BRIDGE Design Notes | Server federation

The **server** will assign a **client** id to the proxy **client** and give it a **queue** for outgoing
changes. All other incoming **messages** from the CS will be routed to ...
java.cs.vt.edu/public/projects/bridge/design/Server+federation - 11k -
[Cached](#) - [Similar pages](#)

Live Communications Server 2005 Glossary - Live Communications ...

The Archiving service reads **messages** from the **queue** and writes them to the
Archiving ... In TLS, a **server** proves its identity to a **client** by sending it a ...
office.microsoft.com/en-us/assistance/HP011434851033.aspx - 67k -
[Cached](#) - [Similar pages](#)

Integrating Islands with Landmasses

Revisiting WMQ Basics - **Client & Server** Connection Channels ... Triggering
happens when a **message** appears on an Initiation **queue**. ...
dan8sh.blogspot.com/atom.xml - 55k - [Cached](#) - [Similar pages](#)

jGuru: SwiftMQ FAQ Home Page

Purging a **queue**. How do we purge all the **messages** through CLI command? ... All
Topic Manager Swiftlets in a router network are working **federated**. ...
www.jguru.com/faq/SwiftMQ - 39k - [Cached](#) - [Similar pages](#)

Feature Summary

Federated router network. Address any **queue**/topic network wide. ... created and
removed by any JMS **client** (e.g. schedule a **message** for later delivery). ...
www.swiftmq.com/products/features/index.html - 37k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 11 - 20 of about 120,000 for client and server and federated and queue and search message. (0.14 seconds)[ONJava.com -- JMS and CORBA Notification Interworking](#)

JMS supports a point-to-point (or **queue**) model and a publish/subscribe model ... In the pull model, a JMS **client** invokes a method on the **message** consumer in ...
[www.onjava.com/pub/a/onjava/2001/12/12/jms_not.html](#) - 31k -
[Cached](#) - [Similar pages](#)

[\[PDF\] The Rise and Fall of the Jabbit Network](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **server** peer acknowledges with a re- sponse **message**, giving the **client** a place in a transfer **queue**, and keeps it updated regard- ...
[yonkeltron.com/jabbit/rise-and-fall-of-jabbit.pdf](#) - [Similar pages](#)

[\[PDF\] Operating System Support for the Trader in Distributed Real-Time ...](#)

File Format: PDF/Adobe Acrobat

scheduling **queue**. It marks the **search** cases of sched- uled requests whose try is bigger than ... tween **client** and **server** can be either connectionless ...
[ieeexplore.ieee.org/iel3/3998/11508/00524985.pdf?arnumber=524985](#) -
[Similar pages](#)

[Check **Server** Headers - SEO Tools - **Search** Engine Optimization ...](#)

Check **Server** Headers Tool - HTTP Status Codes Checker. ... selector for WebSphere ESB, and configure WebSphere ESB to receive **messages** from an MQ **Queue**. ...
[www.seoachat.com/seo-tools/check-server-headers/](#) - 83k - May 13, 2007 -
[Cached](#) - [Similar pages](#)

[IBM Tivoli Access Manager for Business Integration and IBM ...](#)

It is also applying integrity (signing) and privacy (encryption) to **messages** travelling between **queue** managers running TAMBI. The **server**, **client** and JMS ...
[www.ibm.com/developerworks/tivoli/library/t-tambimq/index.html](#) - 52k -
[Cached](#) - [Similar pages](#)

[\[PDF\] Deep **Server** Selected Features Right Hemisphere](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

Assignable Deep **Server** processes to manage **message queue** requests ...
 Extensive SOAP API for **client server** and portlet integration for ...
[www.righthemisphere.com/products/dserv/Deep%20Server%204.0_Summary%20of%20Selected%20Features_%20v1.4.pdf](#) - [Similar pages](#)

[\[QueueNews\] The Network's NEW Role](#)

Previous **message**: [QueueNews] **Search** Considered Integral ... **client** (service requester) side, in the network cloud, or on the **server** (service provider) side ...
[www.acmqueue.com/pipermail/queuenews/2006-May/000099.html](#) - 16k -
[Cached](#) - [Similar pages](#)

[Opamp Title-Keyword, Author & ISBN **Search** Results](#)

What Is a **Federated** System? **Federated Server**. Data Sources. **Federated** Database. ... Installing and Configuring DB2 **Client** to DB2 **Server** Communications. ...
[opamp.com/cf/keyword.cfm?SRow=1&Keywords=X+WINDOWS](#) - 129k -
[Cached](#) - [Similar pages](#)

[gridsearch: Content](#)

Typically, each organizations will be using their own information **server** for ... content extracted from the **messages** and place in a query **message queue**. ...
[https://gridsearch.dev.java.net/arch.html](#) - 16k - [Cached](#) - [Similar pages](#)

[Information integration: A new generation of information technology](#)

Client applications can **search** for objects of interest by querying meta-data, ... the file from the document **server** via the **federated** access component. ...
[www.research.ibm.com/journal/sj/414/roth.html](#) - 58k - [Cached](#) - [Similar pages](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 877 for **client and server and federated and queue datastores**. (0.14 seconds)Did you mean: **client and server and federated and queue data stores**[\[PDF\] PowerPoint Presentation](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**Client**. Business. Logic. App. **Server**. - **Federated**, Intra-Enterprise, Scalable ...
Message Queue. Temporary ... Protect Temporary/Intermediary **Data Stores** ...
unatekconference.com/images/pdfs/presentations/Yee.pdf - Similar pages[Design and implementation of a client/server framework for ...](#)Design and implementation of a **client/server** framework for **federated** multi-search and update across heterogeneous **datastores** - US Patent 6370541 from Patent ...
www.patentstorm.us/patents/6370541-description.html - 384k -
Cached - Similar pages[Data access system - US Patent 6941295](#)Typically, a Web **client** computer will request data stored in **data stores** from a web **server** computer. One or more computer programs at the Web **server** ...
www.patentstorm.us/patents/6941295-description.html - 44k -
Cached - Similar pages[Design and implementation of a client/server framework for ...](#)A design and implementation of a **client/server** framework for **federated** multi-search and update across heterogeneous **datastores**. In particular, a technique ...
www.freepatentsonline.com/6370541.html - 383k - Cached - Similar pages[\[PDF\] Enforcing interdependencies and executing transactions atomically ...](#)

File Format: PDF/Adobe Acrobat

Autonomous Mobile **Data Stores** Using SyD Link Technology. 1. Sushil K. Prasad ...
interface (**client**) and **server** application functionalities are ...
ieeexplore.ieee.org/iel5/8560/27094/01203650.pdf - [Similar pages](#)[\[doc\] Windows Server 2003 R2 Overview and Reviewer Guide](#)File Format: Microsoft Word - [View as HTML](#)Centralized **Data Stores** — Centralized **data stores** reduce the management costs of ... RDC can also copy any roughly similar file from any **client** or **server** to ...
download.microsoft.com/.../Windows%20Server%202003%20R2%20Overview%20Guide.doc - [Similar pages](#)[\[PDF\] Integration Megatrends: The Current and Future State of the Technology](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)During the past several years, integration brokers have moved beyond simple **client/server** architectures. to support a "federated static" approach. ...
www.radiantinfo.com/casestudies/current&future.pdf - Similar pages[Designing applications--Cottonwood Distributors, Inc. warehouse ...](#)Cottonwood has a configuration that includes a DB2 Universal Database(TM) **server** and a DB2 Universal Database **client**, a message **queue client**, ...
publib.boulder.ibm.com/infocenter/db2luw/v8/topic/com.ibm.db2.ii.doc/ad/ciicomde.htm - 11k - Cached - Similar pages[WebSphere Portal examples and DB2 Information Integrator](#)After collecting the data from the various sources, the **federated** **server** returns a single result set to the **client**, providing the customer service ...
publib.boulder.ibm.com/infocenter/db2luw/v8/topic/com.ibm.db2.ii.doc/ad/ciiwebpl.htm - 10k - Cached - Similar pages
[More results from publib.boulder.ibm.com][\[PPT\] Attunity Connect v4](#)File Format: Microsoft Powerpoint - [View as HTML](#)**Attunity Server**. **Client** Interfaces. Gateways. Attunity Studio ... Change data capture (CDC) identifies and moves only the changes to **data stores** ...
www.its.state.ut.us/productsservices/database/jdbc/jdbcdocs/attunityconnectv4.ppt -

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Search](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 11 - 20 of about 877 for client and server and federated and queue datastores. (0.16 seconds)**Information integration: A new generation of information technology**

In addition to the data access components for the native **data stores**, ... to retrieve the file from the document **server** via the **federated** access component. ...
www.research.ibm.com/journal/sj/414/roth.html - 58k - [Cached](#) - [Similar pages](#)

An introduction to IBM DB2 Connect: It's more than meets the eye ...

DB2 Connect is a combination of programming interfaces and a connectivity infrastructure that delivers mainframe strengths to **client server** and Web-based ...
www.ibm.com/developerworks/db2/library/techarticle/dm-0504zikopoulos/ - 64k - [Cached](#) - [Similar pages](#)

Data Integration: A Tutorial

The larger the data volumes in operational **data stores**, the more CPU and network ... The **server** manages the components on the data **server**, the **client** ...
www.dmreview.com/editorial/newsletter_article.cfm?articleId=1027145 - 54k - [Cached](#) - [Similar pages](#)

[PS] A Practitioners Approach To Data Federation

File Format: Adobe PostScript - [View as Text](#)
client/server structure providing the MQI as **client** to a message **queue** manager (see figure 3). ... several **data stores** must be manipulated to achieve a new ...
cis.cs.tu-berlin.de/Forschung/FDBS-99/leymann_final.ps - [Similar pages](#)

Messaging service in a federated content management system ...

[0032] The Java Grand Portal 120 is comprised of **client and server** classes. ... The **federated** datastore 100 and the heterogeneous **datastores** 102 are all ...
www.freepatentsonline.com/20020124116.html - 87k - [Cached](#) - [Similar pages](#)

[PDF] TECHNICAL PAPER Capturing Changes to Host-Based Data Sources

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Server manages components on the data **server**, the **client**. connections, security, and load ... **data stores**, as well as **federated** access to historical ...
www.attachmate.com/NR/rdonlyres/2F8775C9-9CA1-411E-95D9-5415D7EDDB7D/0/tp_capturing_changes.pdf - [Similar pages](#)

[PDF] LNCS 3063 - An Overview of Middleware

File Format: PDF/Adobe Acrobat
queues, not directly with other applications. In a **client-server** system, if a **client** ... databases, and still others around non-typical **datastores** such as ...
www.springerlink.com/index/JL0N27F20WKA06DX.pdf - [Similar pages](#)

Scaling Enterprise SOA Deployments @ SOA WORLD MAGAZINE

Even the touted "**Federated** Integration Servers" from TIBCO or the "Distributed ... (**client- and server-side** certificates and authentication supported). ...
webservices.sys-con.com/read/355627_2.htm - 77k - [Cached](#) - [Similar pages](#)

[PDF] Oracle Database 10 g vs. Microsoft SQL Server 2000: Technical Overview

File Format: PDF/Adobe Acrobat - [View as HTML](#)
consolidation of **data stores** into larger data warehouses at a growth rate of 40% per year. ... Message **Queue**, which has no integration with SQL **Server**. ...
www.oracle.com/technology/products/database/oracle10g/pdf/cwp_general_o10g-vs-ss2k.pdf - [Similar pages](#)

[PDF] Technical Comparison of Oracle Database 10 g versus SQL Server ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
By comparison, Microsoft provides limited access to other **data stores** via an ODBC or. OLEDB driver. ... buffered **queue** on the failed **server** will be lost. ...
www.oracle.com/technology/products/dataint/pdf/twp_info_int_ss_2005_competitive.pdf - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 21 - 30 of about 877 for **client** and **server** and **federated** and **queue** datastores. (0.21 seconds)[Radiant Logic, Inc. | FAQ](#)

The configuration tools are: the Schema Manager, the Directory View Designer, and the Virtual Directory **Server** Console. The two directory **client** tools are: ...
www.radiantlogic.com/main/support_faq.html - 62k - [Cached](#) - [Similar pages](#)

[\[PDF\] Information Integration](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 XML Technology. **SERVER. CLIENT.** Data management. **client.** Customer **client.** application ... •Tables, XML files, spread sheets, **queues**, users, etc. ...
www-is.informatik.uni-oldenburg.de/FestaktHaerder/Vortraege/mattos.pdf - [Similar pages](#)

[Skip to main content](#) [Country/region \[select\]](#) [Terms of use](#) [Select a ...](#)
 based on 22 ratings, Fundamentals of IBM DB2 **Federated Server** and ... part of your ability to integrate information across different backend **data stores**. ...
[www.ibm.com/developerworks/apps/ViewServlet.wss?](http://www.ibm.com/developerworks/apps/ViewServlet.wss?keyword=federated&viewType=Library&devDomain=dmdd...)
 keyword=**federated**&viewType=Library&devDomain=dmdd... - 151k - [Cached](#) - [Similar pages](#)

[Deploying Composite Applications in the Enterprise](#)

Proposed user experience: Provide document processing with Microsoft Office **client**-based applications. Provide **server**-side storage of these documents to ...
msdn2.microsoft.com/en-us/library/bb220801.aspx - 56k - [Cached](#) - [Similar pages](#)

[\[PDF\] Microsoft PowerPoint - 01939-WAS60.JMS.Provider.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Consistent WebSphere administration model for single and **federated**. processes. Range of **client-server** and inter-**server** communication protocols ...
www.websphereusergroup.org.uk/downloads/05june/WAS60.JMS.Provider%20-%20Phil%20Coxhead.pdf - [Similar pages](#)

[\[PDF\] Certificate-based Authorization Policy in a PKI Environment](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 large scientific instruments, computing resources and **data stores**, may have more than ... communication between the **client** and **server** becomes HTTP over SSL. ...
dsd.lbl.gov/publications/mrt/ACMTISSEC.pdf - [Similar pages](#)

[\[PDF\] Certificate-based Authorization Policy in a PKI Environment](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 large scientific instruments, computing resources and **data stores**, may have more ... **client** and an Akenti/Apache Web **server**. The **client**, **server** and all the ...
dsd.lbl.gov/security/Akenti/Papers/ACMTISSEC.pdf - [Similar pages](#)

[\[PDF\] A publish/subscribe CORBA Persistent State Service Prototype](#)

File Format: PDF/Adobe Acrobat
 requires 1:n communication and access to persistent **datastores**. ... In 2-tier **client/server** the **client** part implements the presentation logic together with ...
portal.acm.org/ft_gateway.cfm?id=338368&type=pdf - [Similar pages](#)

[Data integration through database federation](#)

Two components of the **federated server** contribute to this: query rewrite and ... to an MQ **queue** without the **client** application accessing the **queue** directly: ...
www.research.ibm.com/journal/sj/414/haas.html - 86k - [Cached](#) - [Similar pages](#)

[\[PDF\] Leveraging Information for Competitive Advantage DB2 Information ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 DB2 UDB V7 **Federated Server** Data Sources. DB2 390. DB2 VM/VSE. DB2 400. DB2 UDB. DRDA. wrapper. Oracle. SQL*Net. Net8. Open **Client**. Sybase. MS SQL **Server** ...
www.stldug.org/DB2_Info_Integration.pdf - [Similar pages](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Search](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 886 for **client and servers and federated and queue datastores**. (0.14 seconds)Did you mean: **client and servers and federated and queue data stores**[\[PDF\] PowerPoint Presentation](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**Client**. Business. Logic. App. **Server**. - **Federated**, Intra-Enterprise, Scalable ...Message **Queue**. Temporary ... Protect Temporary/Intermediary **Data Stores** ...

unatekconference.com/images/pdfs/presentations/Yee.pdf - Similar pages

[Design and implementation of a client/server framework for ...](#)Design and implementation of a **client/server** framework for **federated** multi-search and update across heterogeneous **datastores** - US Patent 6370541 from Patent ...

www.patentstorm.us/patents/6370541-description.html - 384k -

Cached - Similar pages

[Design and implementation of a client/server framework for ...](#)A design and implementation of a **client/server** framework for **federated** multi-search and update across heterogeneous **datastores**. In particular, a technique ...

www.freepatentsonline.com/6370541.html - 383k - Cached - Similar pages

[\[PDF\] Enforcing interdependencies and executing transactions atomically ...](#)

File Format: PDF/Adobe Acrobat

Autonomous Mobile **Data Stores** Using SyD Link Technology. 1. Sushil K. Prasad ...interface (**client**) and **server** application functionalities are ...

ieeexplore.ieee.org/iel5/8560/27094/01203650.pdf - Similar pages

[Designing applications--Cottonwood Distributors, Inc. warehouse ...](#)Cottonwood has a configuration that includes a DB2 Universal Database(TM) **server**and a DB2 Universal Database **client**, a message **queue client**, ...

publib.boulder.ibm.com/infocenter/

db2luw/v8/topic/com.ibm.db2.ii.doc/ad/ciicomde.htm - 11k - [Cached](#) - [Similar pages](#)[\[PDF\] Integration Megatrends: The Current and Future State of the Technology](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

During the past several years, integration brokers have moved beyond simple

client/server architectures. to support a "federated static" approach. ...

www.radiantinfo.com/casestudies/current&future.pdf - Similar pages

[\[DOC\] Windows Server 2003 R2 Overview and Reviewer Guide](#)File Format: Microsoft Word - [View as HTML](#)Centralized **Data Stores** — Centralized **data stores** reduce the management costsof ... RDC can also copy any roughly similar file from any **client** or **server** to ...

download.microsoft.com/.../Windows%20Server%202003%20R2%20Overview%

20Guide.doc - Similar pages

[\[PPT\] Attunity Connect v4](#)File Format: Microsoft Powerpoint - [View as HTML](#)Attunity **Server**. **Client** Interfaces. Gateways. Attunity Studio ... Change data capture(CDC) identifies and moves only the changes to **data stores** ...

www.its.state.ut.us/productsservices/database/jdbc/jdbcdocs/attunityconnectv4.ppt -

[Similar pages](#)[An introduction to IBM DB2 Connect: It's more than meets the eye ...](#)DB2 Connect is a combination of programming interfaces and a connectivity infrastructure that delivers mainframe strengths to **client server** and Web-based ...

www.ibm.com/developerworks/db2/library/techarticle/dm-0504zikopoulos/ - 64k -

[Cached](#) - [Similar pages](#)[Scaling Enterprise SOA Deployments @ SOA WORLD MAGAZINE](#)

Even the touted "Federated Integration Servers" from TIBCO or the "Distributed

Peer-to-Peer" ... Messages stored in local **queues** need to be secured as well. ...webservices.sys-con.com/read/355627_2.htm - 77k - [Cached](#) - [Similar pages](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 91 - 100 of about 886 for **client and servers and federated and queue datastores**. (0.13 seconds)**[PDF] Oracle Internet File System**File Format: PDF/Adobe Acrobat - [View as HTML](#)multiple Windows **Client** Protocol (WCP) **servers** are started against the same database, the WCP **server** ... XFN is a **federated** naming service used instead of ...
download-east.oracle.com/docs/cd/A97333_02/relnotes/ifs.pdf - [Similar pages](#)**[PDF] Microsoft PowerPoint - MartinFlanagan.ppt**File Format: PDF/Adobe Acrobat - [View as HTML](#)enList SQL Gateway engine. LDAP **Server**. LDAP **client**. ODBC 3.5 API. SQL Engine ... The multi-valued attribute table acts like a FIFO **queue** when ...
www.jcu.edu.au/questnet2004/pdfs/Martin_Flanagan.pdf - [Similar pages](#)**Database Or File Accessing - Access Augmentation Or Optimizing patents**For example when a **client** system interacts with a **server** with respect to a data ... for storing and retrieving data using hash-accessed multiple **data stores** ...
www.freshpatents.com/x1707002000psbc.php - 135k - [Cached](#) - [Similar pages](#)**MySQL: Information from Answers.com**Both the MySQL **server** software itself and the **client** libraries are distributed ... "MySQL" is officially pronounced as "My Ess **Queue** Ell" /maɪ ɛs kjuː ɛl/, ...
www.answers.com/topic/mysql - 109k - [Cached](#) - [Similar pages](#)**[PDF] Sun Java System Access Manager 6 2005Q1 Release Notes**File Format: PDF/Adobe Acrobat - [View as HTML](#)to start and stop the Message **Queue** broker and Berkeley DB **client**. ... from the Identity Repository **data stores** at policy evaluation time. ...
192.18.109.11/819-8002/819-8002.pdf - [Similar pages](#)**[PDF] Layout 1**File Format: PDF/Adobe Acrobat - [View as HTML](#)Java System Application **Server**. • Java System Message **Queue** ... This includes synchronizing identities between existing **data stores**, creating new identities ...
www.sun.com/software/whitepapers/javaenterprisesystem/web_service_platform.pdf - [Similar pages](#)**Learn with Gateway and MAP - IT Comprehensive**The hands-on consequences of enhancements such as multiple **data stores**, ... This course will cover an introduction to **client server** analysis and design, ...
www.mapnv.com/GatewayITComprehensive.asp - 467k - [Cached](#) - [Similar pages](#)**USENIX - HotOS IX - Scribe Reports**Then the **client** and the **server** can speak the upgraded version of TCP. ... searching and retrieval of **data; stores** data efficiently by using data compression ...
www.usenix.org/events/hotos03/reports.html - 124k - [Cached](#) - [Similar pages](#)**[PDF] webMethods Mainframe White Paper**File Format: PDF/Adobe Acrobat - [View as HTML](#)**client**, clustering makes multiple Integration **Servers** look and behave as one. ... By combining the adapter load balancing and **federated server** capabilities, ...
www.csn.no/whitepapers/webMethods_Platform_White_Paper.pdf - [Similar pages](#)**Dare Obasanjo aka Carnage4Life - XML Web Services**A fundamentally stateless **client/server** protocol: each HTTP ... Amazon's Simple **Queue** Service that Amazon's Queueing Service violated these principles. ...
www.25hoursaday.com/weblog/CategoryView.aspx?category=XML%20Web%20Services - 694k - [Cached](#) - [Similar pages](#)

Sponsored Links

Client ServerEnergy-efficient Intel-based **servers** for your business needs
www.intel.com**Client Server**Learn About HP High-Performance Computing Systems, Clusters & More.
www.hp.comResult Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#)[Next](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 101 - 110 of about 886 for client and servers and federated and queue datastores. (0.27 seconds)**[doc]** [MONARC Progress Report LCB 99-5](#)File Format: Microsoft Word - [View as HTML](#)

In our case we consider specifically an Objectivity/DB **federated** database, ... The AMS **server** simulation provides the **client server** mechanism to access ...
[monarc.web.cern.ch/MONARC/docs/progress_report/ProgressReport.new.doc](#) - Similar pages

[23 Information Integration](#)

The distributed applications on an Oracle database communicate with **queues** in the same Oracle database **server** hub. Oracle's extensible framework lets ...
[www.planning.gov.sa/books/Oracle/Oracle10g.Docs/server.102/b14220/integrat.htm](#)
 - 56k - Cached - Similar pages

[doc] [Web Service](#)File Format: Microsoft Word - [View as HTML](#)

Unlike the hard-wired applications of **client-server** computing days, these loosely coupled ... Messaging, MQSeries, MSMQ, IPlanet Message **Queue** for Java ...
[www.informatics.manchester.ac.uk/ibhis/_private/Documents/WebService_v1.doc](#) - Similar pages

[MONARC Progress Report LCB 99-5](#)

The **Federated** DB is at the basis of the process and gives constraints to the ... The AMS **server** simulation provides the **client server** mechanism to access ...
[www.cern.ch/MONARC/docs/progress_report/ProgressReport.html](#) - 182k - Cached - Similar pages

[Section 2: Templates, Policies, Database, and Service Interface Design](#)

Deployment diagram: Defines the physical high-level picture of the **server** and **client** applications and the communications between them. ...
[msdn2.microsoft.com/en-us/library/aa302163.aspx](#) - 75k - [Cached](#) - [Similar pages](#)

[PDF] [On Migrating Threads](#)

File Format: PDF/Adobe Acrobat

These range from a **client-server** oriented programming style via higher-order ... is limited to local **data stores** only. If integrity constraints do not span ...
[www.ingentaconnect.com/content/klu/jiis/1997/00000008/00000002/00132808?](#)
[crawler=true](#) - [Similar pages](#)

[PDF] [developerWorks : Patterns for e-business](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

There can be one or more source **data stores** that are read by the population. application. ... complex architecture both in the **client** and **server** is needed. ...
[www-128.ibm.com/developerworks/patterns/retired-1A.pdf](#) - [Similar pages](#)

[PDF] [Microsoft PowerPoint - D9. Eculypt](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

enList SQL Gateway engine. LDAP **Server**. LDAP **client**. ODBC 3.5 API. SQL Engine ... The multi-valued attribute table acts like a FIFO **queue** when ...
[www.educause2005.auckland.ac.nz/interactive/presentations/D9_Eculypt.pdf](#) - [Similar pages](#)

[MSDN Architecture Center. Messages and Services](#)

The **client** posts messages to a **queue** and the service processes them later. ... This document describes the issues around **federated** identity management and ...
[msdn.microsoft.com/architecture/solutions_architecture/service_orientation/rss.xml](#) - 71k - [Cached](#) - [Similar pages](#)

[storyList](#)

2005/07/07: Innovative rich editors and local **datastores**. 2005/07/06: Life in a TEXTAREA ... 2002/07/29: MT-RefSearch, and **client- vs server-side** scripting ...
[weblog.infoworld.com/udell/stories/2002/03/16/storylist.html](#) - 173k - [Cached](#) - [Similar pages](#)